L Number	Hits	Search Text	DB	Time stamp,
3	207	(dead\$1 or defect\$3 or bad or white\$1 adj1	USPAT;	2004/08/08 13:58
		<pre>spot\$1)near10 (noise\$1 or pixel\$1 or</pre>	US-PGPUB;	
		sensor\$1) and (process\$3 or compar\$3 or	EPO; JPO;	
		calculat\$3) same (neighbor\$3 or surround\$3	DERWENT;	
		or adjacent\$1) same (sensor\$1 or pixel\$1)	IBM_TDB	
		and filter\$1 and (CMOS or MO) same		
		(camera\$1 or sensor\$1 or pixel\$1)		
4	68		USPAT;	2004/08/08 13:58
		<pre>spot\$1)near10 (noise\$1 or pixel\$1 or </pre>	US-PGPUB;	
		<pre>sensor\$1) same (process\$3 or compar\$3 or calculat\$3 or compensat\$3) same</pre>	EPO; JPO; DERWENT;	
		(neighbor\$3 or surround\$3 or adjacent\$1)	IBM TDB	
		same (sensor\$1 or pixel\$1) and filter\$1		
		and (CMOS or MOs) same (camera\$1 or		
		sensor\$1 or pixel\$1)		
5	75	(dead\$1 or defect\$3 or bad or white\$1 adj1	USPAT;	2004/08/08 14:00
·		spot\$1)near10 (noise\$1 or pixel\$1 or	US-PGPUB;	
		sensor\$1) same (process\$3 or compar\$3 or	EPO; JPO;	
		calculat\$3 or compensat\$3) same	DERWENT;	
		(neighbor\$3 or surround\$3 or adjacent\$1)	IBM_TDB	
		<pre>same (sensor\$1 or pixel\$1) and filter\$1</pre>	_	
		and (CMOS or MOs or APS\$1) same (camera\$1		
		or sensor\$1 or pixel\$1)		0004/00/05 50 5-
-	4	(("20020085107") or ("20030030738")).PN.	USPAT;	2004/08/06 18:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	131	348/246.ccls.	IBM_TDB USPAT;	2004/08/07 14:58
-	131	546/246.0015.	US-PGPUB;	2004/00/07 14:58
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	85	348/247.ccls.	USPAT;	2004/08/07 14:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	174	348/251.ccls.	USPAT;	2004/08/07 14:57
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	115	348/252.ccls.	USPAT;	2004/08/07 14:57
_		540/252.0015.	US-PGPUB;	2004/00/07 14:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	131	348/246.ccls.	USPAT;	2004/08/07 14:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/07 55 55
-	85	348/247.ccls.	USPAT;	2004/08/07 14:58
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	6992	defect\$3 same (pixel\$1 or sensor\$1) and	USPAT;	2004/08/07 15:03
_	0352	(neighbor\$3 or surround\$3 or adjacent\$1)	US-PGPUB;	2004/00/07 10.05
		same (sensor\$1 or pixel\$1)	EPO; JPO;	
	1	Same (Seugeri of bruetar)	DERWENT;	
			IBM TDB	
-	567	(defect\$3 same (pixel\$1 or sensor\$1) and	USPAT;	2004/08/07 15:02
		(neighbor\$3 or surround\$3 or adjacent\$1)	US-PGPUB;	
	1	<pre>same (sensor\$1 or pixel\$1)) and</pre>	EPO; JPO;	
		348/\$.ccls.	DERWENT;	
	1		IBM TDB	

÷, ,

-	3011	defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07, 18:36
-	330	<pre>((defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1)) and 348/\$.ccls.) and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 16:12
-	793	and filter\$1) defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and (defect\$3) same filter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:06
-	32	<pre>(defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and (defect\$3) same filter\$1) and 348/246.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:05
-	189	<pre>defect\$3 same (pixel\$1 or sensor\$1) and compar\$3 same (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and (defect\$3) same filter\$1</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 15:41
-	7	348/246.ccls. and compar\$3 same (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1 and (high\$3 or low\$3 or minimum or maximum) same (averag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 16:04
-	6		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 16:09
-	167	(pixel\$1 or sensor\$1 or MOS or cmos\$1) and compar\$3 same (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 16:09
_	453	<pre>(defect\$3) same filter\$1 (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1)) and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1) and reset\$3</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 16:13
-	392	<pre>((defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1)) and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1) and reset\$3) and compar\$3</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 16:13
-	256		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 18:31

•

.

-	138	((defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1)) and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07, 17:22
		<pre>(sensor\$1 or pixel\$1) and filter\$1) and reset\$3) and compar\$3 and (low\$3 or high\$3 or minimum\$1 or maximum\$1) same (adjacent\$1 or neighbor\$3 or surround\$3)</pre>		
-	1380	<pre>same (pixel\$1 or sensor\$1) and averag\$3 358/518.ccls.</pre>	USPAT; US-PGPUB;	2004/08/07 17:22
			EPO; JPO; DERWENT; IBM_TDB	
-	548	358/447.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 17:22
-	443	358/461.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:22
-	318	358/3.26.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:23
-	754	382/274.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:23
-	763	382/275.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:23
-	13	358/518.ccls. and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:24
-	4	358/461.ccls. and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 17:26
-	8	358/3.26.ccls. and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:27
-	21	382/274.ccls. and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and`filter\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:30
-	61	382/275.ccls. and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:46
-	0	<pre>salt\$1 adj1 paper\$1 near4 (noise\$1) and (defect\$3) same (correct\$3 or detect\$3) and compar\$3 and (CMOS\$1 or pixel\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 17:50

•

Ĺ

-	0	<pre>salt\$1 adj1 paper\$1 same (noise\$1) and (defect\$3) same (correct\$3 or detect\$3) and compar\$3 and (CMOS\$1 or pixel\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07, 17:49
-	0	<pre>salt\$1 adj1 paper\$1 same (noise\$1) and (defect\$3) same (correct\$3 or detect\$3) and (CMOS\$1 or mos or pixel\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 17:50
-	0	<pre>salt\$1 adj5 paper\$1 same (noise\$1) and (defect\$3) same (correct\$3 or detect\$3) and (CMOS\$1 or mos or pixel\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 17:51
-	6	<pre>salt\$1 adj6 pepper\$1 near4 (noise\$1) and (defect\$3) same (correct\$3 or detect\$3) and compar\$3 and (CMOS\$1 or pixel\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 17:51
-	10	<pre>salt\$1 adj5 pepper\$1 same (noise\$1) and (defect\$3) same (correct\$3 or detect\$3) and (CMOS\$1 or mos or pixel\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 17:52
-	26	<pre>salt\$1 same pepper\$1 same (noise\$1) and (defect\$3) and (CMOS\$1 or mos or pixel\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 17:55
_	14	<pre>salt\$1 same pepper\$1 same (noise\$1) and (defect\$3) same (CMOS\$1 or mos or pixel\$1 or sensor\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 17:57
-	55	348/245.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 18:26
-	292	<pre>(defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1) and 250/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 18:27
_	61	((defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1) and 250/\$.ccls.) and (CMOS or MOS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 18:27
-	74	<pre>((defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1)) and (defect\$3 same (pixel\$1 or sensor\$1) and (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1) and reset\$3) and compar\$3 and (low\$3 or high\$3 or minimum\$1 or maximum\$1) and averag\$3 and (MOS or CMOS)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 18:31
-	13		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 18:31
-	266	<pre>(dead\$1 or defect\$3) same (pixel\$1 or sensor\$1) and (process\$3 or compar\$3 or calculat\$3) same (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1 and (CMOS or MO) same (camera\$1 or sensor\$1 or pixel\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 18:46

1

.

-	83	348/246.ccls. and (CMOS\$1 or MOS\$1 or APS)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/07 18:40
-	7	("4567525" "4805023" "4958374" "5354977" "5544256" "5982946"	IBM_TDB USPAT	2004/08/07 18:46
-	195	"6276605").PN. (dead\$1 or defect\$3 or bad)near10 (pixel\$1 or sensor\$1) and (process\$3 or compar\$3 or	USPAT; US-PGPUB;	2004/08/08 13:54
		<pre>calculat\$3) same (neighbor\$3 or surround\$3 or adjacent\$1) same (sensor\$1 or pixel\$1) and filter\$1 and (CMOS or MO) same (camera\$1 or sensor\$1 or pixel\$1)</pre>	EPO; JPO; DERWENT; IBM_TDB	

. -

.

. 4

· •